

# R M DRIP AND SPRINKLERS SYSTEMS LIMITED

(Formerly Known as R M DRIP AND SPRINKLERS SYSTEMS PRIVATE LIMITED)

E-mail ID - rmdrip@gmail.com Website - www.rmdrip.com, Phone - +91 2551 - 218919

CIN - U27200MH2004PLC150101



**RM Drip**  
& Sprinkler Systems Ltd.

Date: 7<sup>th</sup> August, 2019

To,  
National Stock Exchange of India Limited  
Exchange Plaza, Plot No. C/1, G Block,  
Bandra Kurla Complex, Bandra(E),  
Mumbai-400051

Dear Sir/Madam,

**NSE Symbol: RMDRIP**

**Sub: Received BIS Certification License No 7700147612 as per IS 4984:2016**

With reference to the above captioned subject, we are pleased to inform you that R M Drip and Sprinklers Systems Limited "the Company" has received **BIS Certification License No 7700147612 as per IS 4984:2016** from Bureau of Indian Standards for High density Polyethylene Pipes for Water Supplies. By acquiring this, there is an enhancement in the product basket which shall add an additional revenue of Rs. 2 Crore in the top line in this current year and Rs. 6 Crore year to year.

Kindly take the note of above information and oblige.

Thanking you,

Yours faithfully,

**For R M Drip and Sprinklers Systems Limited**

*Anita Pagare*  
Anita Pagare  
Company Secretary



**Encl.:** Grant of BIS Certification License copy



# भारतीय मानक ब्यूरो BUREAU OF INDIAN STANDARDS

(उपभोक्ता मामले, खाद्य और सार्वजनिक वितरण मंत्रालय)  
भारत सरकार  
(Ministry of Consumer Affairs, Food & Public Distribution)  
Government of India

पश्चिम क्षेत्रीय कार्यालय 'मानकालय, ई-9, रोड नं. 8,  
एमआईडीसी, अंधेरी (पूर्व), मुंबई- 400 093.  
Western Regional Office : 'Manakalaya', E-9, Road No. 8,  
MIDC, Andheri (E), Mumbai - 400 093.

दूरभाष  
Phones ] 022 2832 5838  
022 2832 9295

फैक्स  
Fax ] 022 2825 3436 / 022 2826 4352  
022 2826 9197 / 022 2826 4352

वेबसाइट / Website ] www.bis.gov.in  
ई-मेल / E-mail ] wro@bis.gov.in

Our Ref : MUBO-I/CM/L 7700147612

Dated: 22-07-2019

Subject: Grant of BIS Certification Marks Licence No 7700147612 as per IS 4984:2016.

M/s. RM DRIP & SPRINKLERS SYSTEMS LTD  
GAT NO 475 MALWADI ROAD GONDE VILLAGE  
TAL SINNAR, DIST : NASHIK - 422103  
MAHARASHTRA

Dear Madams(s)/Sir,

With reference to your application, we are pleased to inform you that the Certification Marks Licence has been granted to you to use the Standard Mark in respect of the followings:

Product:- High Density Polyethylene Pipes for Potable Water Supplies as per IS 4984:2016

Grade/Class/Type/Variety
PE 63 PN 8 DN 32-110 mm, SDR 11
PE 63 PN 4 DN 40-110 mm, SDR 21

2.The number assigned to this licence is CM/L- 7700147612 which has been made operative from 2019-07-16 and is valid upto 2020-07-15. The licence number should invariably be referred to in your future correspondence.

According to sub-regulation (1) &(3) of Paragraph 5 of scheme I of Schedule II under Bureau of Indian Standards (Conformity of Assessment) Regulation, 2018, the annual licence fee of Rs. 2000.00 and the marking fee for use of standard mark as per Annexure-I of Scheme I of BIS(Conformity assessment) Regulation 2018 is payable by you with effect from 2019-07-16 for the period of validity of the licence in advance.

3. Minimum marking fee stipulated in Annexure -I of scheme I of BIS (Conformity Assessment) Regulation 2018 is payable by you regardless of the whether you actually mark your product or not with the Standard Mark. Our Receipt No. 0077PC2019000874 dated 2019-07-16 for the licence fee and the minimum marking fee for the first operative period is already issued.

4. This advance minimum marking fee will be carried over to the next year on every renewal. The actual marking fee calculated on the unit rate on the production marked or the minimum marking fee, whichever is higher shall be payable by you at the time of renewal.

5.With a view to streamlining the reporting of quantity marked, calculation and collection of marking fee on the unit rate basis, fees will be calculated on the production marked during the first nine months of operation of the licence at the time of first renewal, and on the production marked during twelve months comprising the last three months of the previous operative year and the first nine months of the current operative year, at the time of the second and subsequent renewals. In case the licence expires, the entire production marked till the expiry date shall be taken into account for calculating the marking fee payable.

6. The Scheme of Testing and Inspection submitted by you and agreed by BIS or the Scheme of Testing and Inspection as specified by BIS will have to be implemented by your organization strictly and completely. This supervision of the operation of the Scheme shall be done by a person responsible for the quality control function in your organization. Kindly inform us the name and designation of the person who will be held responsible for the operation and maintenance of the Scheme. Any future change in this respect will have to be communicated by you to us as and when these take place.

7. We are enclosing a sheet giving the preferred dimensions of the Standard Mark to enable you to prepare the designs of the Standard Mark for marking the above product. Photographic reduction in any size is permissible. This will ensure the relative proportions of the different dimensions maintained. Preferred dimensions be used as far as possible.

8. On commencement of marking of your product for which you are licensed, you may advertise your product with Standard Mark in various media only during the validity of your licence. The use of Standard Mark on letterheads and publicity literature will be permitted only on receipt of your assurance that in the event of cancellation or lapsing of your licence, the Standard Mark on your letterheads, publicity literatures etc. will be destroyed/obliterated.

9. This licence is granted for your factory situated at GAT NO 475 MALWADI ROAD GONDE VILLAGE TAL SINNAR ,DIST NASHIK 422103, sinnar, NASHIK, MAHARASHTRA, INDIA 422103. Privileges under the licence shall not be exercised by any other firm company/factory etc. This licence is not transferable in the event of shifting the manufacturing and testing equipment from the licensed premises to some other place, use of Standard Mark shall be stopped till the new premises are inspected and found to be satisfactory by us in respect of manufacturing and testing facilities available there and the address of the new premises is endorsed in the licence.

10. It may be noted that this licence is granted subject to the condition that if samples drawn on 29 May 2019 by BIS during the verification visit before grant of licence, fail to conform to the requirement of relevant Indian Standard (in any requirement), the licence shall be put under Stop Marking, and in case fresh sample after corrective action is not offered within one month or fresh sample fail to conform to the requirement of relevant Indian Standard, in any requirement, the licence shall be processed for cancellation.

11. The licence is under preparation and will be posted to you in due course.


12. You are requested to send us back the enclosed proforma No. CMD/PF615 duly filled in.

13. An instruction sheet containing ' Conditions of licence ' is also enclosed for information / compliance.

Kindly acknowledge receipt of this letter.

Thanking You,

Yours faithfully,

  
06/08/2019  
(Pawan Kumar Kandoi)  
Sc. F & Head(MUBO-1)